L Number	Hits	Search Text	DB	Time stamp
•	8		USPAT:	2003/12/05 14:34
		US-5985495-\$.DID. OR US-5912727-\$.DID. OR	US-PGPUB:	2000/12/00 14.04
	i	US-5866916-\$.DID. OR US-5627647-\$.DID. OR	EPO; JPO;	
		US-4845518-\$.DID. OR US-4063820-\$.DID.	IBM TDB	İ
-	1664	((optical OR light) NEAR3 grid) AND project\$4	USPAT:	2003/12/03 16:21
		((US-PGPUB:	2003/12/03 10:21
			EPO; JPO;	i
			IBM TDB	
	120	250/559.19.ccls.		2000/40/00 40 40
	1.20	250/555.15.5553.	USPAT;	2003/12/03 16:46
			US-PGPUB:	
			EPO; JPO;	
_	3215	(beams NEAR4 parallel) AND (project\$4 WITH (pattern OR	IBM_TDB	
	3213		USPAT;	2003/12/03 16:48
		scale OR grid))	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	İ
-	250	250/559.19,559.08.ccls.	USPAT;	2003/12/03 19:08
	ļ		US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	4	((beams NEAR4 parallel) AND (project\$4 WITH (pattern OR	USPAT;	2003/12/03 16:46
		scale OR grid))) AND 250/559.19,559.08.ccls.	US-PGPUB:	
		- ""	EPO; JPO;	1
			IBM TDB	1
.	738	((beams NEAR4 parallel) AND (project\$4 WITH (pattern OR	USPAT;	2002/12/02 16:40
ĺ		scale OR grid))) AND camera		2003/12/03 16:48
i		Scale On grid/// AND carriera	US-PGPUB;	
			EPO; JPO;	
_	2	(((beams NEARA possible) AND (see is a 64 MUTL) (OR	IBM_TDB	
-	2	(((beams NEAR4 parallel) AND (project\$4 WITH (pattern OR	USPAT;	2003/12/03 16:48
		scale OR grid))) AND camera) AND 250/559.19.ccls.	US-PGPUB;	
ļ			EPO; JPO;	
			IBM_TDB	
-	1	4576436.pn.	USPAT;	2003/12/03 17:16
			US-PGPUB:	
- 1			EPO; JPO;	
- 1			IBM_TDB	
-	6	("1320625" "2279288" "4109997" "4398791" "4401360"	USPAT	2003/12/03 17:06
Į.		"4460242").PN.		2000/12/00 17:00
-	34	4576436.URPN.	USPAT	2003/12/03 17:06
-	108	348/68.ccls.	USPAT;	2003/12/03 17:16
		10.00.000		2003/12/03 17:16
	ľ		US-PGPUB;	
ļ			EPO; JPO;	
_	6	/"1320625" "2270288" "4100007" "4208704" "4 424822"	IBM_TDB	0000110100 15
	۱	("1320625" "2279288" "4109997" "4398791" "4401360" "4460242").PN.	USPAT	2003/12/03 18:06
_	48	348/136.ccls.		000011015
·	48	340/ 130.00IS.	USPAT;	2003/12/03 18:26
			US-PGPUB;	
J			EPO; JPO;	
			IBM_TDB	
.	16	4914460.URPN.	USPAT	2003/12/03 18:22
.	841	(light NEAR3 spots) WITH project	USPAT;	2003/12/03 18:26
	İ	• •	US-PGPUB:	
1	1		EPO: JPO:	
I	I		IBM TDB	
.	247	camera AND ((light NEAR3 spots) WITH project)	USPAT;	2003/12/03 18:27
1		(1.3) == 1.1. (1.1 k.a)aat)	US-PGPUB;	2000/12/00 10.2/
- 1				
- 1			EPO; JPO;	
.	28	(heams NEARA parallel) AND (comore AND (lists NEARS	IBM_TDB	0000140100 45 :-
1	20	(beams NEAR4 parallel) AND (camera AND ((light NEAR3	USPAT;	2003/12/03 18:43
1		spots) WITH project))	US-PGPUB;	
	ļ		EPO; JPO;	
	_	5000000 LIDDA	IBM_TDB	i
	3	5386263.URPN.	USPAT	2003/12/03 18:34

-	362	348/135.ccls.	USPAT;	2003/12/03 18:44
			US-PGPUB;	
	1		EPO; JPO; IBM_TDB	
-	74	348/135.ccls. AND ((light OR beam) WITH project\$4)	USPAT;	2003/12/03 18:44
			US-PGPUB	100001127001101111
İ			EPO; JPO;	
	62	(348/135.ccls. AND ((light OR beam) WITH project\$4)) AND	IBM_TDB	
	02	camera	USPAT; US-PGPUB;	2003/12/03 18:44
	1		EPO; JPO;	
			IBM_TDB	
-	5		USPAT	2003/12/03 18:45
_	149	"6377353").PN. 250/578.1.ccls.		
_	143	250/5/6. I.CCIS.	USPAT; US-PGPUB;	2003/12/03 19:08
			EPO; JPO;	
	1		IBM_TDB	
-	8		USPAT;	2003/12/03 19:13
		250/578.1.ccls.	US-PGPUB;	
			EPO; JPO;	
-	66	(multiple NEAR3 emitter) WITH (laser ADJ diode)	IBM_TDB USPAT:	2003/12/03 19:17
	1	(Compared to State of the Compared to Com	US-PGPUB:	2003/12/03 19.17
			EPO; JPO;	
	_	(114000001111511000011111111111111111111	IBM_TDB	
•	5	("4962983" "5420722" "5517359" "5521748" "5619245").PN.	USPAT	2003/12/03 19:15
-	6		USPAT	2003/12/03 19:16
-	2		USPAT:	2003/12/03 19:17
	1	camera	US-PGPUB;	
		•	EPO; JPO;	
	598	396/79,80,119,121.ccls.	IBM_TDB	000040054004
	000	00070,00,110,121.0015.	USPAT; US-PGPUB:	2003/12/05 13:21
	i		EPO; JPO;	
			IBM_TDB	
-	47	((beams OR rays) WITH (parallel OR collimat\$5)) AND	USPAT;	2003/12/05 13:22
		396/79,80,119,121.ccls.	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	535	250/201.5.ccls.	USPAT;	2003/12/05 13:35
	Ì		US-PGPUB;	
			EPO; JPO;	
-	297	(read\$4 OR scan\$4) AND ((beams OR rays) WITH (parallel	IBM_TDB USPAT:	2003/12/05 13:36
]	OR collimat\$5)) AND 250/201.5.ccls.	US-PGPUB;	2000/12/00 10:30
			EPO; JPO;	
	30	(compare OR COR OR speed and AND (1)	IBM_TDB	
-	30	(camera OR CCD OR receiver) AND ((read\$4 OR scan\$4) AND ((beams OR rays) WITH (parallel OR collimat\$5)) AND	USPAT;	2003/12/05 13:36
		250/201.5,ccls.)	US-PGPUB; EPO; JPO;	
		,	IBM_TDB	
-	1546	250/216.ccls.	USPAT;	2003/12/05 14:34
			US-PGPUB;	
			EPO; JPO;	
-	350	250/216.ccls. AND ((beam OR ray) WITH (parallel OR	IBM_TDB USPAT:	2003/12/05 14:34
		collimat\$5))	US-PGPUB;	2000/12/00 14:04
			EPO; JPO;	
_	207	(250/246 colo AND //boom OD > > *//****************************	IBM_TDB	
-	207	(250/216.ccls. AND ((beam OR ray) WITH (parallel OR collimat\$5))) AND (CCD OR camera OR receiver OR (area	USPAT;	2003/12/05 14:35
		NEAR3 sensor) OR array)	US-PGPUB; EPO; JPO;	
		,	IBM_TDB	
earch History	12/7/02	3:15:07 PM Page 2		

-	147	(scale OR grid OR pattern OR spots) AND ((250/216.ccls.	USPAT;	2003/12/05 14:55
	!	AND ((beam OR ray) WITH (parallel OR collimat\$5))) AND	US-PGPUB;	
	ļ	(CCD OR camera OR receiver OR (area NEAR3 sensor) OR	EPO; JPO;	ļ
		array))	IBM_TDB	
-	2488	250/221,222.1.ccls.	USPAT;	2003/12/05 14:55
	}		US-PGPUB;	
	i		EPO; JPO;	
			IBM_TDB	
-	594	((ray or beam or light) WITH (parallel OR collimat\$5)) AND	USPAT;	2003/12/05 15:25
		250/221,222.1.ccls.	US-PGPUB;	
			EPO; JPO;	
		l	IBM_TDB	
-	588	(((ray or beam or light) WITH (parallel OR collimat\$5)) AND	USPAT;	2003/12/05 15:26
į į		250/221,222.1.ccls.) NOT ((250/216.ccls. AND ((beam OR	US-PGPUB;	
		ray) WITH (parallel OR collimat\$5))) AND (CCD OR camera	EPO; JPO;	
		OR receiver OR (area NEAR3 sensor) OR array))	IBM_TDB	
- 1	390	(camera OR array OR CCD OR receiver) AND ((((ray or	USPAT;	2003/12/05 16:30
		beam or light) WITH (parallel OR collimat\$5)) AND	US-PGPUB;	
		250/221,222.1.ccls.) NOT ((250/216.ccls. AND ((beam OR	EPO; JPO;	
	1	ray) WITH (parallel OR collimat\$5))) AND (CCD OR camera	IBM_TDB	
		OR receiver OR (area NEAR3 sensor) OR array)))		
-	5	forensic NEAR5 photography	USPAT;	2003/12/05 16:31
			US-PGPUB;	
			EPO; JPO;	
		araman nan	IBM_TDB	
-	1561	250/223R,223B.ccls.	USPAT;	2003/12/05 16:32
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1541	250/223R,223B.ccls. NOT ((((ray or beam or light) WITH	USPAT;	2003/12/05 16:32
		(parallel OR collimat\$5)) AND 250/221,222.1.ccls.) NOT	US-PGPUB;	
		((250/216.ccls. AND ((beam OR ray) WITH (parallel OR	EPO; JPO;	
		collimat\$5))) AND (CCD OR camera OR receiver OR (area	IBM_TDB	
· '	l	NEAR3 sensor) OR array)))	·	
-	257	(250/223R,223B.ccls, NOT ((((ray or beam or light) WITH	USPAT;	2003/12/05 16:32
		(parallel OR collimat\$5)) AND 250/221,222.1.ccls.) NOT	US-PGPUB;	
l l	·	((250/216.ccls, AND ((beam OR ray) WITH (parallel OR	EPO; JPO;	
		collimat\$5))) AND (CCD OR camera OR receiver OR (area	IBM_TDB	
l	[NEAR3 sensor) OR array)))) AND ((beam or ray or light)		
		NEAR6 (parallel OR collimat\$5))		
-	189	((250/223R,223B.ccls. NOT ((((ray or beam or light) WITH	USPAT;	2003/12/05 16:34
ļ		(parallel OR collimat\$5)) AND 250/221,222.1.ccls.) NOT	US-PGPUB;	
		((250/216.ccls, AND ((beam OR ray) WITH (parallel OR	EPO; JPO;	
l		collimat\$5))) AND (CCD OR camera OR receiver OR (area	IBM_TDB	
1		NEAR3 sensor) OR array)))) AND ((beam or ray or light)		
l	į į	NEAR6 (parallel OR collimat\$5))) AND (array OR CCD OR		
l	400	camera OR receiver)	LICDAT	00004005 47:04
-	120	(spots OR grid OR pattern OR scale OR markings) AND	USPAT;	2003/12/05 17:21
l		(((250/223R,223B.ccls. NOT ((((ray or beam or light) WITH	US-PGPUB;	
		(parallel OR collimat\$5)) AND 250/221,222.1.ccls.) NOT	EPO; JPO;	
ì	į į	((250/216.ccis. AND ((beam OR ray) WITH (parallel OR	IBM_TDB	
ļ		collimat\$5))) AND (CCD OR camera OR receiver OR (area	1	
{		NEAR3 sensor) OR array)))) AND ((beam or ray or light)		
l		NEAR6 (parallel OR collimat\$5))) AND (array OR CCD OR		
ŀ	141	camera OR receiver)) 396/290.ccls.	LICDAT	2003/12/05 17:20
- (141	390/290.0018.	USPAT; US-PGPUB:	2003/12/05 17:20
J				
			EPO; JPO;	
}	443	305/347 00/0	IBM_TDB	2002/12/05 17:00
-	143	396/317.ccls.	USPAT;	2003/12/05 17:20
j			US-PGPUB;	
ì			EPO; JPO; IBM TDB	
	L		IDM_IDB	

-	39	(spots OR grid OR pattern OR scale OR markings) AND 396/317.ccls.	USPAT; US-PGPUB;	2003/12/05 17:29
			EPO; JPO;	
1			IBM_TDB	_
1-	468	396/315.ccls.	USPAT; US-PGPUB;	2003/12/05 17:47
			EPO; JPO;	
			IBM_TDB	
]-	459	396/315.ccls. NOT (((spots OR grid OR pattern OR scale OR	USPAT;	2003/12/05 17:47
		markings) AND (((250/223R,223B.ccls. NOT ((((ray or beam	US-PGPUB;	
		or light) WITH (parallel OR collimat\$5)) AND 250/221,222,1.ccls.) NOT ((250/216.ccls. AND ((beam OR	EPO; JPO; IBM TDB	
1		ray) WITH (parallel OR collimat\$5))) AND (CCD OR camera	10.11_100	
		OR receiver OR (area NEAR3 sensor) OR array)))) AND		
1	\	((beam or ray or light) NEAR6 (parallel OR collimat\$5))) AND		i
		(array OR CCD OR camera OR receiver))) ((spots OR grid OR pattern OR scale OR markings) AND 396/317.ccls.))		
_	13	((beam or ray) WITH (parallel OR collimat\$5)) AND	USPAT:	2003/12/05 17:48
]] "	(396/315.ccls. NOT (((spots OR grid OR pattern OR scale	US-PGPUB;	
		OR markings) AND (((250/223R,223B.ccls. NOT ((((ray or	EPO; JPO;	
\		beam or light) WITH (parallel OR collimat\$5)) AND	IBM_TDB	
1		250/221,222.1.ccls.) NOT ((250/216.ccls. AND ((beam OR ray) WITH (parallel OR collimat\$5))) AND (CCD OR camera		
		OR receiver OR (area NEAR3 sensor) OR array)))) AND		
}	}	((beam or ray or light) NEAR6 (parallel OR collimat\$5))) AND		
		(array OR CCD OR camera OR receiver))) ((spots OR grid OR pattern OR scale OR markings) AND 396/317.ccls.)))		
_	949	OR pattern OR scale OR markings) AND 396/317.ccis.)))	USPAT:	2003/12/05 17:49
) 0,10	000/100.00/0	US-PGPUB;	2000/12/00 11:40
	i		EPO; JPO;	
		BROWES and AND WILLIAM OR THE AND THE OR	IBM_TDB	0000/40/05 40:00
-	23	396/155.ccls. AND ((beam OR ray) WITH (parallel OR collimat\$5))	USPAT; US-PGPUB;	2003/12/05 18:00
		Commatago	EPO; JPO;	
İ			IBM_TDB	
-	81	356/603.ccls.	USPAT;	2003/12/05 18:09
{			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	75	33/266.ccls.	USPAT;	2003/12/05 18:11
			US-PGPUB;	
			EPO; JPO; IBM TDB	
-	75	33/276.ccls.	USPAT;	2003/12/05 18:11
	1		US-PGPUB;	
] .			EPO; JPO;	
	75	33/276.ccls. not 33/266.ccls.	IBM_TDB USPAT;	2003/12/05 18:12
1	'	00.270.35.5. 1,51 00/200.0010.	US-PGPUB;	2550, 12,00 10,12
į			EPO; JPO;	
		22/206	IBM_TDB	2002/42/05 40:42
] -	685	33/286.cols.	USPAT; US-PGPUB;	2003/12/05 18:13
			EPO; JPO;	
1			IBM_TDB	
-	669	33/286.ccls. not (33/266.ccls. 33/276.ccls.)	USPAT;	2003/12/05 18:13
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	156	(33/286.ccls. not (33/266.ccls. 33/276.ccls.)) AND ((beam or	USPAT;	2003/12/05 18:13
		ray) WITH (parallel OR collimat\$5))	US-PGPUB;	
			EPO; JPO; BM_TDB	
			מטו_וואמו	L

	·			
-	84	((33/286.ccls. not (33/266.ccls. 33/276.ccls.)) AND ((beam or	USPAT;	2003/12/05 18:14
}	1	ray) WITH (parallel OR collimat\$5))) AND (scale OR grid OR	US-PGPUB:	Į į
		pattern OR spots)	EPO: JPO:	
1		, ,	IBM TDB	l l
-	9	("3625618" "4238147" "4634879" "4679076" "4701049"	USPAT	2003/12/05 18:27
		"4721388" "4752964" "4786925" "4794262").PN.		
-	11	4894551.URPN.	USPAT	2003/12/05 18:28